

The B-line

- stationary and portable
piston compressors



STENHØJ

Portable units – max. 10 bar

Model no.	Type / Receiver	Motor kW / HP	F.A.D. l/min.	R.P.M.	Num. of cyl.	Pressure stage	Dimensions mm.			Weight
							l	b	h	
C62100	PL30 - 50*	2,2/3	235	1250	2	1	1080	620	760	85
C62101	PL30 - 90*	2,2/3	235	1250	2	1	1270	620	830	100
C62200	PL50 - 90*	3/4	370	1225	2	1	1270	620	840	105
C62201	PL50 - 150*	3/4	370	1225	2	1	1280	700	960	115
C62300	PL75 - 150*	4/5,5	540	960	3	2	1280	700	1050	145

Portable units – max. 15 bar

C63200	TE 50 - 90*	3/4	290	970	2	2	1280	620	900	145
C63201	TE 50 - 150*	4/5,5	310	1050	2	2	1280	700	950	160
C63300	TE 75 - 150*	4/5,5	450	900	3	3	1280	700	1000	170
C63301	TE 75 - 150*	5,5/7,5	650	1050	3	3	1280	700	1000	175
C63311	TE 75 - 150**	5,5/7,5	650	1050	3	3	1280	700	1000	175

Stationary units – max. 10 bar

Model no.	Type / Receiver	Motor kW / HP	F.A.D. l/min.	R.P.M.	Num. of cyl.	Pressure stage	Dimensions m.m.			Weight
							l	b	h	
C60100	PL 30 - 50*	2,2/3	235	1250	2	1	910	410	750	75
C60101	PL 30 - 90*	2,2/3	235	1250	2	1	1100	430	840	90
C60200	PL 50 - 90*	3/4	370	1225	2	1	1100	430	840	95
C60201	PL 50 - 150*	3/4	370	1225	2	1	1250	470	970	110
C60303	PL 75 - 190*	4/5,5	540	960	3	2	1460	550	1050	180
C60304	PL 75 - 280*	4/5,5	540	960	3	2	1690	580	1100	210
C60305	PL 75 - 500*	4/5,5	540	960	3	2	1950	610	1230	240
C60300	PL 75 - 190*	5,5/7,5	715	1050	3	2	1460	550	1050	220
C60301	PL 75 - 280*	5,5/7,5	715	1050	3	2	1690	580	1100	245
C60302	PL 75 - 500*	5,5/7,5	715	1050	3	2	1950	610	1230	275
C60310	PL 75 - 190**	5,5/7,5	715	1050	3	2	1460	550	1050	220
C60311	PL 75 - 280**	5,5/7,5	715	1050	3	2	1690	580	1100	245
C60312	PL 75 - 500**	5,5/7,5	715	1050	3	2	1950	610	1230	275
C60412	PL 100 - 190**	7,5/10	900	1100	3	1	1460	550	1050	240
C60410	PL 100 - 280**	7,5/10	900	1100	3	1	1690	580	1100	265
C60411	PL 100 - 500**	7,5/10	900	1100	3	1	1950	610	1230	295

Stationary units – max. 15 bar

C61201	TE 50 - 150*	3/4	290	970	2	2	1270	470	980	170
C61200	TE 50 - 280*	4/5,5	310	1050	2	2	1690	550	1110	210
C61303	TE 75 - 190*	4/5,5	450	900	3	2	1450	550	1050	215
C61302	TE 75 - 280*	4/5,5	450	900	3	2	1690	580	1100	240
C61300	TE 75 - 280*	5,5/7,5	650	1050	3	2	1690	580	1100	245
C61301	TE 75 - 500*	5,5/7,5	650	1050	3	2	1950	610	1300	275
C61400	TE 100 - 280*	7,5/10	800	1270	2	2	1690	580	1100	305
C61401	TE 100 - 500*	7,5/10	800	1270	2	2	1950	610	1300	335
C61310	TE 75 - 280**	5,5/7,5	650	1050	3	2	1690	580	1100	245
C61311	TE 75 - 500**	5,5/7,5	650	1050	3	2	1950	610	1300	275
C61410	TE 100 - 280**	7,5/10	800	1270	2	2	1690	580	1100	305
C61411	TE 100 - 500**	7,5/10	800	1270	2	2	1950	610	1300	335

* D-O-L- starter incl.

** Y-D starter and solenoid valve incl.

All units are delivered as standard with 3 m cable.

No liability accepted for specifications that are subject to alteration.

STENHØJ piston compressors types PL & TE - the good alternative

As an alternative to the well-known blue piston compressors STENHØJ now offers a whole new series of piston compressors - the B-line; these compressor types are developed especially for craftsmen and small companies.

The STENHØJ name is equal to quality. This is also true for the B-line, although the compressor block is imported. All other components are original STENHØJ-components and assembly is done at our factory.

The B-line complies with the same strict demands and norms as regards quality - the quality which is characteristic of all STENHØJ products.

* PL & TE compressors are equipped with a fittings block comprising all controls - corresponding to the one fitted on all blue STENHØJ piston compressors.

* PL & TE compressors are made of cast iron.

* All types are equipped with high-quality electric motors - corresponding to the motors used on the blue piston compressors.

* All types are delivered as standard with the original STENHØJ suction filter; i.e. optimum filtration of suction air and reduction of noise level.

* Low RPM value gives less wear and tear and thus longer operating life.

* The B-line comprises stationary as well portable compressor units; both types available in 10 and 15 bar units.

* PL & TE compressors are - like all other STENHØJ compressors - CE- as well as EMC-approved.




STENHØJ does not lend a name to just any kind of product. You can count on us - on reliability, long life and spare parts guarantee; count also on the B-line compressors.

All documentation is naturally of our usual high STENHØJ standard.

The B-line is naturally covered by a one year warranty; covering production and material defects.

STENHØJ makes it easy for you. We have already made a large number of spare parts kits - valve kits, piston kits, piston ring kits as well as packing kits.



Optional extras:
Reduction valve
Filters
Membrane dryer
Refrigeration dryer
Stenommat water separator
Stenosep oil/water separator

Make sure you get quality
- get a STENHØJ compressor.



STENHØJ

STENHØJ KOMPRESSOR A/S
DK-7150 Barritz
Phone: +45 7682 1260
Fax: +45 7682 1226
Telex: 60644 stnhj dk
E-mail: kompessor@stenhoj.dk
Homepage: www.stenhoj.dk